ELSEVIER

Chemical Engineering Journal 93 (2003) 253

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 93

Agrell, J. 91
Aguilar-López, R. 113
Assabumrungrat, S. 3

Baker, E. 55
Basile, A. 23, 31
Besser, R.S. 217
Boonyasuwat, S. 241
Brandani, F. 173
Brandani, V. 173
Busca, G. 181

Cabrera, F. 233
Cao, J. 55
Catani, R. 181
Cen, K. 121
Chavadej, S. 241
Cheekatamarla, P.K. 61
Chen, B. 191
Chiappetta, G. 23
Chin, C. 55
Choudhary, T.V. 69
Chun, B.H. 225

Dagle, R. 55
Díaz, M.J. 233
de Croon, M.H.J.M. 201
Dogu, T. 143
Douglas Way, J. 11
Duinkerke, S.A. 201

Epling, W.S. 61
Erqiang, W. 191
Eugenio, M.E. 233

Flytzani-Stephanopoulos, M. 41
Fu, Q. 41

Galuszka, J. 1
Gamwo, I.K. 103
Gidaspow, D. 103
Goodman, D.W. 69
Goto, S. 3

Halow, J.S. 103
Holladay, J. 55
Horio, M. 151
Hu, J. 55

Jiang, J. 81
Jiménez, L. 233

Kim, S.H. 225
Kim, S.-S. 225
Kucernak, A. 81
Kudriavtseva, S. 41
Kuroyanagi, K. 3

Lane, A.M. 61
Lei, Z. 191
Li, C. 191
Lindström, B. 91
Luo, Z. 121

Madejón, E. 233
Malakul, P. 241
Matthews, M.A. 163
McCormick, R.L. 11
Mostofi, R. 103
Mürtezaoğlu, K. 143

Ni, M. 121

Ouyang, X. 217

Paglieri, S.N. 11
Palo, D. 55
Panizza, M. 181
Paturzo, L. 31
Peppley, B. 1
Pettersson, L.J. 91
Praserthdam, P. 3

Raccoli, F. 181
Rebrov, E.V. 201
Resini, C. 181
Rizzello, C. 23
Roa, F. 11
Rossini, S. 181
Rozmiarek, R. 55

Sahin, E. 143
Sai, P.S.T. 135
Saltsburg, H. 41
Sathiyamoorthy, D. 151
Scamehorn, J.F. 241
Schouten, J.C. 201
Sindhu, H. 135
Sivadinarayana, C. 69
Spagnoli, G. 173
Surangalikar, H. 217

Tagawa, T. 3
Tosti, S. 23

VanderWiel, D. 55
Vazzana, A. 31
Violante, V. 23

Wang, Q. 121
Wang, Y. 55

Yang, X. 163

Zhang, J. 191

doi:10.1016/S1385-8947(03)00128-1

ELSEVIER

Chemical Engineering Journal 93 (2003) 255–257

Chemical Engineering Journal

www.elsevier.com/locate/cej

Subject Index of Volume 93

Alkylation
Study on the alkylation of benzene and 1-dodecene, 191
Ammonia
Production of CO_x-free hydrogen for fuel cells via step-wise hydrocarbon reforming and catalytic dehydrogenation of ammonia, 69
Ammonia oxidation
Optimization of heat transfer characteristics, flow distribution, and reaction processing for a microstructured reactor/heat-exchanger for optimal performance in platinum catalyzed ammonia oxidation, 201
Anionic and cationic surfactant recovery
Anionic and cationic surfactant recovery from water using a multistage foam fractionator, 241
Aspect ratio
On the influence of aspect ratio and distributor in gas fluidized beds, 151
Asymmetric ceramic supports
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11

Benzene
Study on the alkylation of benzene and 1-dodecene, 191
Bidisperse catalyst
Thermal effects on effectiveness of catalysts having bidisperse pore size distributions, 143
Biodegradability
Modelling vinasse/cotton waste ratio incubation for optimum composting, 233

Carbon number distribution
Non-isothermal pyrolysis of waste automobile lubricating oil in a stirred batch reactor, 225
Catalysis
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Catalyst
Membrane reactor for the production of hydrogen and higher hydrocarbons from methane over Ru/Al_2O_3 catalyst, 31
Cerium oxide
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41
CFD models
CFD models for methanol synthesis three-phase reactors: reactor optimization, 103
Chromatography
Equilibrium and kinetics properties of *p*-dichlorobenzene and toluene on silica gel in dense CO_2 by chromatography analysis, 163
Circulating fluidized bed boiler
Particle population balance model for a circulating fluidized bed boiler, 121
Co-feed experiments
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181
CO-free hydrogen production
Production of CO_x-free hydrogen for fuel cells via step-wise hydrocarbon reforming and catalytic dehydrogenation of ammonia, 69
Composite membrane
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Compost
Modelling vinasse/cotton waste ratio incubation for optimum composting, 233
Conversion
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Copper
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41
Copper-based catalysts
Combined methanol reforming for hydrogen generation over monolithic catalysts, 91
Cotton waste
Modelling vinasse/cotton waste ratio incubation for optimum composting, 233
Countercurrent
A model for pressure drop and liquid saturation in gas–liquid cocurrent upflow through packed beds, 135
m-Cresol
On the solubility of phenol in *m*-cresol, 173
Critical micelle concentration
Anionic and cationic surfactant recovery from water using a multistage foam fractionator, 241
Cyclohexene
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217

Dehydrogenation
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Distributor
On the influence of aspect ratio and distributor in gas fluidized beds, 151
1-Dodecene
Study on the alkylation of benzene and 1-dodecene, 191

Effectiveness factor
Thermal effects on effectiveness of catalysts having bidisperse pore size distributions, 143
Electrocatalyst
Mesoporous platinum as a catalyst for oxygen electroreduction and methanol electrooxidation, 81
Electroless plating
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
EOS
On the solubility of phenol in *m*-cresol, 173

doi:10.1016/S1385-8947(03)00129-3

Equilibrium (EQ) stage model
Study on the alkylation of benzene and 1-dodecene, 191
Ethane
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181

Fluidization
On the influence of aspect ratio and distributor in gas fluidized beds, 151
Fuel cell
Mesoporous platinum as a catalyst for oxygen electroreduction and methanol electrooxidation, 81
Fuel cell vehicles
Combined methanol reforming for hydrogen generation over monolithic catalysts, 91
Fuel processing
Fuel processing for portable power applications, 55

Gas separation
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Gas–liquid cocurrent
A model for pressure drop and liquid saturation in gas–liquid cocurrent upflow through packed beds, 135
Gold
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41

Heat transfer
Optimization of heat transfer characteristics, flow distribution, and reaction processing for a microstructured reactor/heat-exchanger for optimal performance in platinum catalyzed ammonia oxidation, 201
Heat-exchanger
Optimization of heat transfer characteristics, flow distribution, and reaction processing for a microstructured reactor/heat-exchanger for optimal performance in platinum catalyzed ammonia oxidation, 201
High temperature
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Hydrocarbons
Membrane reactor for the production of hydrogen and higher hydrocarbons from methane over Ru/Al_2O_3 catalyst, 31
Hydrogen
Combined methanol reforming for hydrogen generation over monolithic catalysts, 91
Hydrogen separation
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Hydrogenation and dehydrogenation processes
Pd–Ag membrane reactors for water gas shift reaction, 23

Integral observer
Integral observers for uncertainty estimation in continuous chemical reactors: algebraic-differential approach, 113

Kinetic properties
Equilibrium and kinetics properties of *p*-dichlorobenzene and toluene on silica gel in dense CO_2 by chromatography analysis, 163

Liquid saturation
A model for pressure drop and liquid saturation in gas–liquid cocurrent upflow through packed beds, 135

Mass transport
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Membrane reactor
Membrane reactor for the production of hydrogen and higher hydrocarbons from methane over Ru/Al_2O_3 catalyst, 31
MEMS
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Methane
Production of CO_x-free hydrogen for fuel cells via step-wise hydrocarbon reforming and catalytic dehydrogenation of ammonia, 69
Methanol oxidation reaction
Mesoporous platinum as a catalyst for oxygen electroreduction and methanol electrooxidation, 81
Methanol reforming
Combined methanol reforming for hydrogen generation over monolithic catalysts, 91
Microreactor
Optimization of heat transfer characteristics, flow distribution, and reaction processing for a microstructured reactor/heat-exchanger for optimal performance in platinum catalyzed ammonia oxidation, 201
Miniaturization
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Model catalysts
Production of CO_x-free hydrogen for fuel cells via step-wise hydrocarbon reforming and catalytic dehydrogenation of ammonia, 69
Model uncertainties
Integral observers for uncertainty estimation in continuous chemical reactors: algebraic-differential approach, 113
Monoliths
Combined methanol reforming for hydrogen generation over monolithic catalysts, 91
Multistage foam fractionator
Anionic and cationic surfactant recovery from water using a multistage foam fractionator, 241

Nanostructured ceria
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41
NEMCA
Selective oxidation of methane in an SOFC-type reactor: effect of applied potential, 3
Noisy measurements
Integral observers for uncertainty estimation in continuous chemical reactors: algebraic-differential approach, 113
Nonequilibrium (NEQ) stage model
Study on the alkylation of benzene and 1-dodecene, 191
Non-isothermal
Thermal effects on effectiveness of catalysts having bidisperse pore size distributions, 143

Optimum catalyst distribution
CFD models for methanol synthesis three-phase reactors: reactor optimization, 103
Oxidation of ethane
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181
Oxidative coupling of methane
Selective oxidation of methane in an SOFC-type reactor: effect of applied potential, 3
Oxygen reduction reaction
Mesoporous platinum as a catalyst for oxygen electroreduction and methanol electrooxidation, 81
Oxygen storage capacity
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41

Palladium
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Palladium–copper alloy
Preparation and characterization of Pd–Cu composite membranes for hydrogen separation, 11
Partial molar volume
Equilibrium and kinetics properties of *p*-dichlorobenzene and toluene on silica gel in dense CO_2 by chromatography analysis, 163
Particle population balance
Particle population balance model for a circulating fluidized bed boiler, 121
Pd–Ag membrane reactors
Pd–Ag membrane reactors for water gas shift reaction, 23
Permeation
Pd–Ag membrane reactors for water gas shift reaction, 23
Permselectivity
Pd–Ag membrane reactors for water gas shift reaction, 23
Petroleum
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Phenol
On the solubility of phenol in *m*-cresol, 173
Platinum
Mesoporous platinum as a catalyst for oxygen electroreduction and methanol electrooxidation, 81
Polymer electrolyte fuel cell
Reaction and surface characterization studies of titania-supported Co, Pt and Co/Pt catalysts for the selective oxidation of CO in H_2-containing streams, 61
Portable power applications
Fuel processing for portable power applications, 55
Potassium doping
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181
Pressure drop
A model for pressure drop and liquid saturation in gas–liquid cocurrent upflow through packed beds, 135
Pyrolysis
Non-isothermal pyrolysis of waste automobile lubricating oil in a stirred batch reactor, 225

Redox experiments
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181
Robustness
Integral observers for uncertainty estimation in continuous chemical reactors: algebraic-differential approach, 113

Selective oxidation
Reaction and surface characterization studies of titania-supported Co, Pt and Co/Pt catalysts for the selective oxidation of CO in H_2-containing streams, 61
Selectivity
Experimental study of hydrocarbon hydrogenation and dehydrogenation reactions in silicon microfabricated reactors of two different geometries, 217
Slurry bubble column reactors
CFD models for methanol synthesis three-phase reactors: reactor optimization, 103
Solid oxide fuel cell
Selective oxidation of methane in an SOFC-type reactor: effect of applied potential, 3
Solid–liquid equilibrium
On the solubility of phenol in *m*-cresol, 173
Solubility
On the solubility of phenol in *m*-cresol, 173
Step-wise reforming
Production of CO_x-free hydrogen for fuel cells via step-wise hydrocarbon reforming and catalytic dehydrogenation of ammonia, 69
Stirred batch reactor
Non-isothermal pyrolysis of waste automobile lubricating oil in a stirred batch reactor, 225
Suboxide
Reaction and surface characterization studies of titania-supported Co, Pt and Co/Pt catalysts for the selective oxidation of CO in H_2-containing streams, 61
Supercritical fluid chromatography
Equilibrium and kinetics properties of *p*-dichlorobenzene and toluene on silica gel in dense CO_2 by chromatography analysis, 163
Suspension catalytic distillation (SCD)
Study on the alkylation of benzene and 1-dodecene, 191

Temperature-programmed desorption
Selective oxidation of methane in an SOFC-type reactor: effect of applied potential, 3
TGA
Non-isothermal pyrolysis of waste automobile lubricating oil in a stirred batch reactor, 225
Tritiated water
Pd–Ag membrane reactors for water gas shift reaction, 23
Two-phase flow
A model for pressure drop and liquid saturation in gas–liquid cocurrent upflow through packed beds, 135

Uncertainty estimation
Integral observers for uncertainty estimation in continuous chemical reactors: algebraic-differential approach, 113

Vanadia-alumina-based catalysts
Oxidation of ethane over vanadia-alumina-based catalysts: co-feed and redox experiments, 181
Vinasse
Modelling vinasse/cotton waste ratio incubation for optimum composting, 233

Waste automobile lubricating oil
Non-isothermal pyrolysis of waste automobile lubricating oil in a stirred batch reactor, 225
Water gas shift reaction
Pd–Ag membrane reactors for water gas shift reaction, 23
Water-gas shift
Gold–ceria catalysts for low-temperature water-gas shift reaction, 41